

CHAPTER

VI

CHAPTER IV: BIBLIOGRAPHY

6.1 Bibliography

Abhilash, P. C., Jamil, S., & Singh, N. (2007). Matrix solid-phase dispersion extraction versus solid-phase extraction in the analysis of combined residues of hexachlorocyclohexane isomers in plant matrices. *Journal of Chromatography A*, 1176, 43-47.

Adahchour, M., Beens, J., Vreuls, R. J. J., & Brinkman, U. A. Th. (2006_a). Recent developments in comprehensive two-dimensional gas chromatography (GC × GC): I. Introduction and instrumental set-up. *Trends in Analytical Chemistry*, 25, 438–454

Adahchour, M., Beens, J., Vreuls, R. J. J., & Brinkman, U. A. Th. (2006_b). Recent developments in comprehensive two-dimensional gas chromatography (GC × GC): IV. Further applications, conclusions and perspectives. *Trends in Analytical Chemistry*, 25, 821–840

Aguilera, A., Brotons, M. Rodriguez, M., & Valverd, A. (2003). Supercritical fluid extraction of pesticides from a table-ready food composite of plant origin (gazpacho). *Journal of Agricultural and Food Chemistry*, 51, 5616-5621.

Aguilera, A., Rodriguez, M., Brotons, M., Boulaid M., & Valverde, A. (2005). Evaluation of supercritical fluid extraction/aminopropyl solid-phase in-line cleanup for analysis of pesticide residues in rice. *Journal of Agricultural and Food Chemistry*, 53, 9374-9382.

Albero, B., Sánchez-Brunete, C., & Tadeo, J. L. (2003). Determination of endosulfan isomers and endosulfan sulfate in tomato juice by matrix solid-phase dispersion and gas chromatography. *Journal of Chromatography A*, 1007, 137–143.

- Albero, B., S´anchez-Brunete, C., & Tadeo, J. L. (2005). Multiresidue determination of pesticides in juice by solid-phase extraction and gas chromatography–mass spectrometry. *Talanta*, 66, 917–924.
- Alloway, B. J., & Ayres, D. C. (1997). Chemical principles of environmental pollution, 2 ed., London, Chapman & hall.
- Amvrazi, E. G., & Albanis, T. A. (2008). Multiclass pesticide determination in olives and their processing factors in olive oil: comparison of different olive oil extraction systems. *Journal of Agricultural and Food Chemistry*, 56, 5700-5709.
- Anastasios, E., Helen, B., Spyros, A., & Despina, T. (2009). Determination of multi-class pesticides in wines by solid-phase extraction and liquid chromatography-tandem mass spectrometry. *Journal of Chromatography A*, 1216, 5856–5867.
- Anastassiades, M., Lehotay, S. J., Štajnbaher, D., & Schenk, F. J. (2003). Fast and Easy Multiresidue Method Employing Acetonitrile Extraction/Partitioning and “Dispersive Solid-Phase Extraction” for the Determination of Pesticide Residues in Produce. *Journal of AOAC International*, 86, 412–431.
- Andreu, V., & Pico´, Y. (2004). Determination of pesticides and their degradation products in soil: critical review and comparison of methods. *Trends in Analytical Chemistry*, 23, 772-789.
- Angelika, G. H., & Rainer, S., HPLC for food analysis, (2001). The fundamentals of an alternative approach to solving tomorrow’s measurement challenges. *Agilent Technologies*. Publication Number 5988-3294 EN.

- Asperger, A., Efer, J., Koal, T., & Engewald, W. (2002). Trace determination of priority pesticides in water by means of high-speed on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry using turbulent-flow chromatography columns for enrichment and a short monolithic column for fast liquid chromatographic separation. *Journal of Chromatography A*, 960, 109–119.
- Banerjee, K., Oulkar, D. P., Dasgupta, S., Patil, S. B., Patil, S. H., Savant, R., Adsule, & P. G. (2007). Validation and uncertainty analysis of a multi-residue method for pesticides in grapes using ethyl acetate extraction and liquid chromatography-tandem mass spectrometry. *Journal of Chromospheraphy A*, 1173, 98–109.
- Barker, S. A., Long, A. R., & Short, C. R. (1989). Isolation of drug residues from tissues by solid phase dispersion. *Journal of Chromatography A*, 475, 353–61.
- Barrek, S., Paisse O., & Marie-Florence, G. L. (2003). Analysis of pesticide residues in essential oils of citrus fruit by GC-MS and HPLC-MS after solid-phase extraction. *Analytical and Bioanalytical Chemistry*, 376, 157–161.
- Basheera, C., Alnedhary, A. A., Madhava Rao, B. S., & Lee, H. K. (2007). Determination of organophosphorous pesticides in wastewater samples using binary-solvent liquid-phase microextraction and solid-phase microextraction: A comparative study. *Analytica Chimica Acta*, 605, 147–152.
- Beltran J, López F. J, & Hernández F. (2000). Solid-phase microextraction in pesticide residue analysis. *Journal of Chromatography A*, 885, 389–404.
- Bernal, J. L., Nozal, M. J. D., Toribio, L., Jimenez, J. J., & Atienza, J. (1997). High-performance liquid chromatographic determination of benomyl and carbendazim residues in apiarian samples. *Journal of Chromatography A*, 787, 129–136

Berrada, H., Font, G., & Moltó, J. C. (2004). Application of Solid-phase Microextraction for Determining Phenylurea Herbicides and their Homologous Anilines from Vegetables. *Journal of Chromatography A*, 1042, 9–14.

Bicchi, C., Cordero, C., Liberto, E., Rubiolo, P., Sgorbini, B., David, F., & Sandra, P. (2005). Dual-phase twistors: A new approach to headspace sorptive extraction and stir bar sorptive extraction. *Journal of Chromatography A*, 1094, 9-16.

Bicchi, C., Cordero, C., Rubiolo, P., & Sandra, P. (2003). Stir bar sorptive extraction (SBSE) in sample preparation from heterogeneous matrices: determination of pesticide residues in pear pulp at ppb (ng/g) level. *European Food Research and Technology*, 216, 449–456.

Blasco, C., Fernández, M., Pena, A., Lino, C., Silveira, M. I., Font, G., & Pico, Y. (2003). Assessment of Pesticide Residues in Honey Samples from Portugal and Spain. *Journal of Agricultural and Food Chemistry*, 51, 8132–8138.

Blasco, C., Fernández, M., Picó, Y., & Font, G. (2004). Comparison of solid-phase microextraction and stir bar sorptive extraction for determining six organophosphorus insecticides in honey by liquid chromatography–mass spectrometry. *Journal of Chromatography A*, 1030, 77–85.

Blasco, C., Font, G., & Picó, Y. (2004). Determination of dithiocarbamates and metabolites in plants by liquid chromatography–mass spectrometry. *Journal of Chromatography A*, 1028, 267–276.

Blasco, C., Font, G., & Pico, Y. (2005). Analysis of pesticides in fruits by pressurized liquid extraction and liquid chromatography–ion trap–triple stage mass spectrometry. *Journal of Chromatography A*, 1098, 37-43.

Boskou, D. (1996). History of olives. (In: Olive oil: chemistry and technology). *AOCS Press, Champaign, IL United States Department of Agriculture*

Bogialli, S., Curini, R., Di Corcia, A., Laganà, A., Stabile, A., & Sturchio, E. (2006). Development of a multiresidue method for analyzing herbicide and fungicide residues in bovine milk based on solid-phase extraction and liquid chromatography-tandem mass spectrometry. *Journal of Chromatography A*, 1102, 1-10.

Bogialli, S., Curini, R., Di Corcia, A., Nazzari, M., & Tamburro, D. (2004). A Simple and Rapid Assay for Analyzing Residues of Carbamate Insecticides in Vegetables and Fruits: Hot Water Extraction Followed by Liquid Chromatography-Mass Spectrometry. *Journal of Agricultural and Food Chemistry*, 52, 665–671.

Bogialli S., D'Ascenzo, G., Di Corcia, A., Innocenti, G., Laganà, A., & Pacchiarotta, T. (2007_a). Monitoring quinolone antibacterial residues in bovine tissues: extraction with hot water and liquid chromatography coupled to a single- or triple-quadrupole mass spectrometer. *Rapid Communications in Mass Spectrometry*, 21, 2833–2842.

Bogialli, S., & Di Corcia, A. (2007_b). Matrix solid-phase dispersion as a valuable tool for extracting contaminants from foodstuffs. *Journal of Biochemical Biophysical Methods*, 70, 163–179.

Bruins, A. P., Covey, T. R., & Henion, J. D. (1987). *Trends in Analytical Chemistry*, 59, 2642-2650.

Bushway, R. J. (1992). Food Analysis by HPLC, in Leo M.I. Nottet, New York, Marcel Dekker.

Campillo, N., Peñalver, R., Hernández-Córdoba, M. (2007). Pesticide analysis in herbal infusions by solid-phase microextraction and gas chromatography with atomic emission detection. *Talanta*, 71, 1417–1423.

Canada Food Inspection Agency (CFIA), Food activities — Chemical Residues; Chemical Residue Reports; Report on Pesticides, Agricultural Chemicals, Veterinary Drugs, Environmental Pollutants and Other Impurities in Agri-Food Commodities of Animal Origin, 2005/2006. Available at: <http://www.inspection.gc.ca/english/fssa/microchem/resid/reside.shtml>.

Carvalho, P. H. V., Prata, V. M., Alves, P. B., & Navickiene, S. (2009). Determination of six pesticides in the medicinal herb *Cordia salicifolia* by matrix solid-phase dispersion and gas chromatography/mass spectrometry. *Journal of AOAC International*, 92, 1184–1189.

Casas, V., Llompart, M., García-Jares, C., Cela, R., & Dagnac, T. (2006). Multivariate optimization of the factors influencing the solid-phase microextraction of pyrethroid pesticides in water. *Journal of Chromatography A*, 1124, 148–156.

Chen, L., Ding, L., Jin, H., Song, D., Zhang, H., Li, J., Zhang, K., Wang, Y., & Zhang, H. (2007). The determination of organochlorine pesticides based on dynamic microwave-assisted extraction coupled with on-line solid-phase extraction of high-performance liquid chromatography. *Analytica Chimica Acta*, 589, 239-246.

Chen, Sh., Yu, X., He, X., Xie, D., Fan, Y., & Peng, J. (2009). Simplified pesticide multiresidues analysis in fish by low-temperature cleanup and solid-phase extraction coupled with gas chromatography/mass spectrometry. *Food Chemistry*, 113, 1297–1300.

- Cheng, J., Liu, M., Yu, Y., Wang, X., Zhang, H., Ding, L., & Jin, H. (2008). Determination of pyrethroids in porcine tissues by matrix solid-phase dispersion extraction and high-performance liquid chromatography. *Meat Science*, 82, 407-412.
- Cheng, J., Liu, M., Zhang, X., Ding, L., Yu, Y., Wang, X., Jin, H., & Zhang, H. (2007). Determination of triazine herbicides in sheep liver by microwave-assisted extraction and high performance liquid chromatography. *Analytica Chimica Acta.*, 590, 34–39.
- Chernushevich, I. V., Ens, W., & Standing, K. G. (1999). MALDI QqTOF mass spectrometer. *Trends in Analytical Chemistry*, 71, 452A-461A.
- Chernushevich, I. V., Loboda, A. V., & Thomson, B. A. (2001). An introduction to quadrupole–time-of-flight mass spectrometry. *Journal of Mass Spectrometry*, 36, 849-865.
- Chu, X. G., Hu, X. Z., & Yao, H. Y. (2005). Determination of 266 pesticide residues in apple juice by matrix solid-phase dispersion and gas chromatography mass selective detection. *Journal of Chromatography A*, 1063, 201-210.
- Codex Alimentarius Commission. (1996). Codex Alimentarius Pesticide Residues in Food Maximum Residues Limits, vol. 2B, second ed., FHO/WHO, Rome.
- Commission Decision 2002/657/EC of 12 August (2002) implementing Council Directive 96/23/EC concerning the performance of analytical methods and the interpretation of results.
- Corcia, D. A., Crescenzi, C., & Lagana, A. (1996). Evaluation of a method based on liquid chromatography/electrospray/mass spectrometry for analyzing carbamate insecticides in fruits and vegetables. *Journal of Agricultural and Food Chemistry*, 44, 1930-1938.

- Corte's-Aguado, S., Sa'nchez-Morito, N., Arrebola, F. J., Garrido Frenich, A., & Mart'inez Vidal, J. L. (2008). Fast screening of pesticide residues in fruit juice by solid-phase microextraction and gas chromatography–mass spectrometry. *Food Chemistry*, 107, 1314–1325.
- Coscolla, C., Yusia, V., Marti, P., & Pastor, A. (2008). Analysis of currently used pesticides in fine airborne particulate matter (PM 2.5) by pressurized liquid extraction and liquid chromatography-tandem mass spectrometry. *Journal of Chromatography A*, 1200, 100-107.
- Cunha S. C., Fernandes, J. O., Beatriz, M. & Oliveira, P. P. (2007). Comparison of matrix solid-phase dispersion and liquid-liquid extraction for the chromatographic determination of fenthion and its metabolites in olives and olive oils. *Food Additives & Contaminants*, 24, 156–164
- Debayle, D., Dessalces, G., & Grenier-Loustatlot, M. F. (2008). Multi-residue analysis of traces of pesticides and antibiotics in honey by HPLC-MS-MS. *Analytical and Bioanalytical Chemistry*, 391, 1011-1020.
- Delgoda, M. J. S., Barroso, S. R., Tostado, G. T. F., & Diez, L. M. P. (2001). Stability studies of carbamate pesticides and analysis by gas chromatography with flame ionization and nitrogen–phosphorus detection. *Journal of Chromatography A*, 921, 287-296.
- D'iez C, Traag W. A., Zommer P., Marinero P., & Atienza J. (2006). Comparison of an acetonitrile extraction/partitioning and "dispersive solid-phase extraction" method with classical multi-residue methods for the extraction of herbicide residues in barley samples. *Journal of Chromatography A*, 1131, 11–23.

- Dimitra A. Lambropoulou & Triantafyllos A. Albanis, (2007). Methods of sample preparation for determination of pesticide residues in food matrices by chromatography–mass spectrometry-based techniques: a review. *Analytical and Bioanalytical Chemistry*, 389:1663–1683.
- Dong, C., Zeng, Z., & Li, X. (2005). Determination of organochlorine pesticides and their metabolites in radish after headspace solid-phase microextraction using calix[4]arene fiber. *Talanta*, 66, 721–727.
- Dong Nguyen, Th., Hee Lee, M., & Ho Lee, G. (2010). Rapid determination of 95 pesticides in soybean oil using liquid-liquid extraction followed by centrifugation, freezing and dispersive solid phase extraction as cleanup steps and gas chromatography with mass spectrometric detection. *Microchemical Journal*, 95, 113-119.
- Dong Nguyen, T., Eun Yu, J., Myung Lee, D., & Ho Lee, G. (2008). A multiresidue method for the determination of 107 pesticides in cabbage and radish using QuEChERS sample preparation method and gas chromatography mass spectrometry. *Food Chemistry*, 110, 207–213.
- Ericsson, M., & Colmsjo, A. (2000). Dynamic microwave-assisted extraction. *Journal of Chromatography A*, 877, 141-151.
- Fernandez, M., Picó, Y., & Mañes, J. (2002). Rapid screening of organophosphorus pesticides in honey and bees by liquid chromatography—Mass spectrometry. *Chromatographia*, 56, 577-583.
- Ferrer, I., Garcia-Reyes, J. F., Mezcua, M., Thurman, E. M., Fernandez Alba, A. R. (2005). Multi-residue pesticide analysis in fruit and vegetables by liquid chromatography-time-of-flight-mass spectrometry. *Journal of Chromatography A*, 1082, 81-90

Ferrer, I., Thurman, & E. M. (2007). Multi-residue method for the analysis of 101 pesticides and their degradates in food and water samples by liquid chromatography/time-of-flight mass spectrometry. *Journal of Chromatography A*, 1175, 24-37.

Fua, L., Liu, X., Hu, J., Zhao, X., Wang, H., & Wang, X. (2009). Application of dispersive liquid-liquid microextraction for the analysis of triazophos and carbaryl pesticides in water and fruit juice samples. *Analytica Chimica Acta*, 632, 289–295.

Fuentes, E., Báez, M. E., & Labra, R. (2007). Parameters affecting microwave-assisted extraction of organophosphorus pesticides from agricultural soil. *Journal of Chromatography A*, 1169, 40-46.

Fuentes, E., Báez, M. E., & Quiñones, A. (2008). Suitability of microwave-assisted extraction coupled with solid-phase extraction for organophosphorus pesticide determination in olive oil. *Journal of Chromatography A*, 1207, 38-45.

Fujita H., Honda K., Hamada N., Yasunaga G., & Fujise Y. (2009). Validation of high-throughput measurement system with microwave-assisted extraction, fully automated sample preparation device, and gas chromatography-electron capture detector for determination of polychlorinated biphenyls in whale blubber. *Journal of Chromatography A*, 74, 1069-1078.

Furusawa, N. (2004). A toxic reagent-free method for normal-phase matrix solid-phase dispersion extraction and reversed-phase liquid chromatographic determination of aldrin, dieldrin, and DDTs in animal fats. *Analytical and Bioanalytical Chemistry*, 378, 2004–2007.

- Furusawa, N. (2005). A toxic reagent-free method for normal-phase matrix solid-phase dispersion extraction and reversed-phase liquid chromatographic determination of aldrin, dieldrin, and DDTs in animal fats. *Chromatographia*, 62, 315–318.
- Fytianos, K., Raikos, N., Theodoridis, G., Velinova, Z., & Tsoukali, H. (2006). Solid phase microextraction applied to the analysis of organophosphorus insecticides in fruits. *Chemosphere*, 65, 2090–2095.
- Gabaldón J.A, Maquieira A, & Puchades R. (2007). Development of a simple extraction procedure for chlorpyrifos determination in food samples by immunoassay. *Talanta*, 71, 1001–1010
- Gallo, M. A., & Lawryk, N .J. (1991). *Organic phosphorus pesticides*, In *Handbook of Toxicology*, Academic Press, New York.
- Garcia-Chao, M., Aguilera, M. J., Calvete, G. F., Sakkas, V., Llompart, M., & Dagnac, T. (2010). Validation of an off line solid phase extraction liquid chromatography-tandem mass spectrometry method for the determination of systemic insecticide residues in honey and pollen samples collected in apiaries from NW Spain. *Analytica Chimica Acta*, 672, 107-113.
- García de Llasera, M. P., Reyes-Reyes, M. L. (2009). A validated matrix solid-phase dispersion method for the extraction of organophosphorus pesticides from bovine samples. *Food Chemistry*, 114, 1510-1516
- García-López, M., Canosa, P., & Rodríguez, I. (2008). Trends and recent applications of matrix solid-phase dispersion. *Analytical and Bioanalytical Chemistry*, 391, 963–974.
- García-Reyes, J. F., Ferrer C., Thurman E. M., Fernández-Alba A. R., & Ferrer I. (2006). Analysis of Herbicides in Olive Oil by Liquid Chromatography Time-of-Flight Mass Spectrometry. *Journal of Agricultural and Food Chemistry*, 54, 6493–6500.

- García-Reyes, J. F., Ferrer, C., José Gómez-Ramos, M., Fernández-Alba, A. R., & Molina-Díaz, A. (2007_a). Determination of pesticide residues in olive oil and olives. *Trends in Analytical Chemistry*, 26, 239-251;
- García-Reyes, J. F., Hernando, M. D., Ferrer, C., Molina-Díaz, A., & Fernández-Alba, A. R. (2007_b). Large Scale Pesticide Multiresidue Methods in Food Combining Liquid Chromatography, Time-of-Flight Mass Spectrometry, and Tandem Mass Spectrometry. *Trends in Analytical Chemistry*, 79, 7308-7323.
- Garrido Frenich, A., Plaza-Bolaños, P., & Martínez Vidal, J. L. (2008). Comparison of tandem-in-space and tandem-in-time mass spectrometry in gas chromatography determination of pesticides: Application to simple and complex food samples. *Journal of Chromatography A*, 1203, 229-238.
- Geovânia, M., Silva, D., Aquino, A., Silveira Dória, H., & Navickiene, S. (2008). Simultaneous determination of eight pesticide residues in coconut using MSPD and GC/MS. *Talanta*, 76, 680–684.
- Gervais, G., Brosillon, S., Laplanche, A., & Helen, C. (2008). Ultra-pressure liquid chromatography–electrospray tandem mass spectrometry for multiresidue determination of pesticides in water. *Journal of Chromatography A*, 1202, 163–172.
- Gilbert-López, B., García-Reyes, J. F., Fernández-Alba, A. R., & Molina-Díaz, A. (2010). Evaluation of two sample treatment methodologies for large-scale pesticide residue analysis in olive oil by fast liquid chromatography–electrospray mass spectrometry. *Journal of Chromatography A*, 2010, 1217, 3736-3747.

Gilbert-López, B., García-Reyes, J. F., & Molina-Díaz, A. (2009). Sample treatment and determination of pesticide residues in fatty vegetable matrices: A review. *Talanta*, 79, 109-128.

Gómez-Ariza, J. L., Bujalance, M., Giráldez, I., Velasco, A., & Morales, E. (2002). Determination of polychlorinated biphenyls in biota samples using simultaneous pressurized liquid extraction and purification. *Journal of Chromatography A*, 946, 209-219.

González, E. B., Graña, E. C., Guimaraes, A., Goncalves, C., Lorenzo, S. M., & Alpendurada, M. F. (2007). Optimisation and validation of a solid-phase microextraction method for simultaneous determination of different types of pesticides in water by gas chromatography–mass spectrometry. *Journal of Chromatography A*, 1141, 165–173.

Goto, T., Ito, Y., Yamada, S., Matsumoto, H., Oka, H., & Nagase, H. (2006). The throughput analysis of *N*-methyl carbamate pesticides in fruits and vegetables by liquid chromatography electrospray ionization tandem mass spectrometry using a short column. *Analytica Chimica Acta*, 555, 225- 232.

Goulart, S. M., de Queiroz, M. E., Neves, A. A., & de Queiroz, J. H. (2008). Low-temperature clean-up method for the determination of pyrethroids in milk using gas chromatography with electron capture detection. *Talanta*, 75, 1320-3.

Graham R. C. (1993). Data Analysis for the Chemical Sciences- A Guide to Statistical Techniques, New York, VCH Publishers Inc.

- Granby, K., Andersen, J. H., & Christensen, H. B. (2004). Analysis of pesticides in fruit, vegetables and cereals using methanolic extraction and detection by liquid chromatography–tandem mass spectrometry. *Analytica Chimica Acta*, 520, 165–176.
- Gwin, L. (2003). Leaping Ahead or Running in Place, *Pesticide Regulations in the European Union and United States*, Global Pesticide Campaigner, Vol.13, No.1, pg 3-6.
- Hawthorne, S. B. (1990). Supercritical Fluid Extraction Technology in herbal medicines and natural products Extraction. *Trends in Analytical Chemistry*, 62, 633A–642A.
- Hercegová, A., Dömötörová, M., Matisová, E., Kirchner, M., Otrekal, R., & Štefuca, V. (2005). Fast gas chromatography with solid phase extraction clean-up for ultratrace analysis of pesticide residues in baby food. *Journal of Chromatography A*, 1084, 46–53.
- Hercegová, A., Dömötörová, M., Kružlicová, D., & Matisová, E. (2006). Comparison of sample preparation methods combined with fast gas chromatography – mass spectrometry for ultratrace analysis of pesticide residues in baby food. *Journal of separation science*, 29, 1102–1109.
- Hernández-Borges, J., Cabrera Cabrera, J., Rodríguez-Delgado, M. A., Hernández-Suárez, E. M., & Galán Saúco, V. (2009). Analysis of pesticide residues in bananas harvested in the Canary Islands (Spain). *Food Chemistry*, 113, 313–319.
- Hernández, F., Ibañez, M., Sancho, J. V., & Pozo, O. J. (2004). Comparison of different mass spectrometric techniques combined with liquid chromatography for confirmation of pesticides in environmental water based on the use of identification points. *Trends in Analytical Chemistry*, 76, 4349-4357.
- Hernando, M. D., Ferrer, C., Ulaszewska, M., García-Reyes, J. F., Molina-Díaz, A., & Fenández-Alba, A. R. (2007). Application of high-performance liquid chromatography-

tandem mass spectrometry with a quadrupole/linear ion trap instrument for the analysis of pesticide residues in olive oil. *Analytical and Bioanalytical Chemistry*, 389, 1815–1831.

Hogenboom, A. C., Hofman, M. P., Kok, S. J., Niessen, W. M. A., & Brinkman, U. A. Th. (2000). Determination of pesticides in vegetables using large-volume injection column liquid chromatography–electrospray tandem mass spectrometry. *Journal of Chromatography A*, 892, 379-390

Holstege, D. M., Scharberg, D. L., Tor, E. R., Hart, L. C., & Galey, F. D. (1994). Rapid multiresidue screen for organophosphorus, organochlorine, and N-methyl carbamate insecticides in plant and animal tissues. *Journal of AOAC International*, 77, 1263-1274.

Howard, P. H., Ed. (1991). *Handbook of Environmental Fate and Exposure Data for Organic Chemicals*, Vol. 3: Pesticides, Lewis Publishers, Chelsea, MI.

Hovander, L., Linderholm, L., Athanasiadu, M., Bignert, A., Fangstrom, B., & Kocan, A. (2006). Levels of PCBs and their metabolites in the serum of residents of a highly contaminated area in eastern Slovakia. *International Journal of Environmental science and Technology*, 40, 3696-703

Huck, C. W., Buchmeiser, M. R., & Bonn, G. K. (2001). Fast analysis of flavonoids in plant extracts by liquid chromatography–ultraviolet absorbance detection on poly(carboxylic acid)-coated silica and electrospray ionization tandem mass spectrometric detection. *Journal of Chromatography A*, 943, 33-38

Iglesias-Garcia, I., Barriada-Pereira, M., Gonzalez-Castro, M. J., Muniategui-Lorenzo, S., Lopez-Mahia, P., Prada-Rodriguez, D. (2008). Development of an analytical method based on microwave-assisted extraction and solid phase extraction cleanup for the

determination of organochlorine pesticides in animal feed. *Analytical and Bioanalytical Chemistry*, 391, 745-752.

Jensen, S., Häggberg, L., Jörundsdóttir, H., & Odham, G. (2003). A quantitative lipid extraction method for residue analysis of fish involving Nonhalogenated solvents. *Journal of Agricultural and Food Chemistry*, 51, 5607-5611

Jianfeng, S., Guyuan, L., Wenhao, L., Jinhu, Zh., & Donghua, C. (2008). Application of two sample pretreatment methods in the determination of 111 residues of pesticides and related chemicals in aquatic products. *Chines Journal of Chromatography*, 26, 292-300.

Juan-García, A., Mañes, J., Font, G., & Picó, Y. (2004). Evaluation of solid-phase extraction and stir-bar sorptive extraction for the determination of fungicide residues at low- $\mu\text{g kg}^{-1}$ levels in grapes by liquid chromatography–mass spectrometry. *Journal of Chromatography A*, 1050, 119–127.

Kania-Korwel, I., Zhao, H., Norstrom, K., Li, X., Hornbuckle, K. C., & Lehmler, H. J. (2008). Simultaneous extraction and clean-up of polychlorinated biphenyls and their metabolites from small tissue samples using pressurized liquid extraction. *Journal of Chromatography A*, 1214, 37-46.

Karazafiris, E., Menkissoglu-Spiroudi, U., & Thrasyvoulou, A. (2008). New multiresidue method using solid-phase extraction and gas chromatography-micro-electron-capture detection for pesticide residues analysis in royal jelly. *Journal of Chromospheraphy A*, 1209, 17-21.

Kataoka, H., Lord, H. L., & Pawliszyn J. (2000). Applications of solid-phase microextraction in food analysis. *Journal of Chromatography A*, 880, 35–62.

- Kidd, H., James, D. R., Eds. (1991). *The Agricultural Handbook*, 3 ed, Royal Society of Chemistry W. T. (1992). *Agricultural Chemical Book 1: Insecticides*, Thomas Publications, Fresno, CA.
- King, J. W., Am. Lab, (1998). Integration of sample cleanup methods into analytical supercritical fluid extraction, 30, 46-58.
- Kirchner, M., Matisová, E., Otrekal, R., Hercegová, A., & de Zeeuw, J. (2005). Search on ruggedness of fast gas chromatography–mass spectrometry in pesticide residues analysis. *Journal of Chromatography A*, 1084, 63- 70.
- Kmellar, B., Fodor, P., Pareja, L., Ferrer, C., Martinez-Uroz, M. A., Valverde, A., & Fernandez-Alba, A. R. (2008). Validation and uncertainty study of a comprehensive list of 160 pesticide residues in multi-class vegetables by liquid chromatography–tandem mass spectrometry. *Journal of Chromatography A*, 1215, 37–50
- Koesukwiwat, U., Lehotay, S. J., Miao, S., & Leepipatpiboon, N. (2010). High throughput analysis of 150 pesticides in fruits and vegetables using QuEChERS and low-pressure gas chromatography–time-of-flight mass spectrometry. *Journal of Chromatography A*, 1217, 6692-6703.
- Kristenson, E. M., Brinkman, U. A. Th., & Ramos, L. (2006). Recent advances in matrix solid-phase dispersion. *Trends in Analytical Chemistry*, 25, 96–111.
- Lambropoulou, D. A., & Albanis, T. A. (2007). Methods of sample preparation for determination of pesticide residues in food matrices by chromatography–mass spectrometry based techniques. *Analytical and Bioanalytical Chemistry*, 389, 1663–1683.

- Leandro, C. C, Fussell, R. J., & Keely, B. J. (2005). Determination of priority pesticides in baby foods by gas chromatography tandem quadrupole mass spectrometry. *Journal of Chromatography A*, 1085, 207–212.
- Leandro, C. C., Hancock, P., Fussell, R. J., & Keely, B. J. (2006). Comparison of ultra performance liquid chromatography and high performance liquid chromatography for the determination of priority pesticides in baby foods by tandem quadrupole mass spectrometry. *Journal of Chromatography A*, 1103, 94–101.
- Lehotay, S. J. (1997). Supercritical fluid extraction of pesticides in foods. *Journal of Chromatography A*, 785, 289–312
- Lehotay, S. J., Mastovska, K., Lightfield, A. R. (2005_a). *Journal of AOAC International*, 88, 615–629.
- Lehotay, S. J., Mastovska, K., & Yun, S. J. (2005_b). Evaluation of two fast and easy methods for pesticide residue analysis in fatty food matrixes. *Journal of AOAC International*, 88, 630–638.
- Lentza Rizo, Ch., Avramides, E. J., & Cherasco, F. (2001). Low-temperature clean-up method for the determination of organophosphorus insecticides in olive oil. *Journal of Chromatography A*, 912, 135-142.
- León, V.M. , Llorca-Pórcel, J., Álvarez, B., Cobollo, M. A., Muñoz, S., & Valor, I. (2006). Analysis of 35 priority semivolatile compounds in water by stir bar sorptive extraction–thermal desorption–gas chromatography–mass spectrometry: Part II: Method validation. *Analytica Chimica Acta*, 558: 261-266.
- Lesueur, C., Knittl, P., Gartner, M., Mentler, A., & Fuerhacker, M. (2008). Analysis of 140 pesticides from conventional farming foodstuff samples after extraction with the modified QuEChERS method. *Food Control*, 19: 906–914.

- Li, H. P. Li, J. H., Li, G. C., & Jen, J. F. (2004). Simultaneous determination of airborne carbamates in workplace by high performance liquid chromatography with fluorescence detection. *Talanta*, 63, 547-553.
- Li, L., Xu, Y., Pan, C., Zhou, Z., Jianc, S., & Liu, F. (2007). Simplified pesticide multiresidue analysis of soybean oil by low-temperature cleanup and dispersive solid-phase extraction coupled with gas chromatography/mass spectrometry. *Journal of AOAC International*, 90, 1387-1393.
- Liu, W., Hu, Y., Zhao, J., Xu, Y., & Guan, Y. (2005). Determination of organophosphorus pesticides in cucumber and potato by stir bar sorptive extraction. *Journal of Chromatography A*, 1095, 1-7.
- Liu, W., Wang, H., & Guan, Y. (2004). Preparation of stir bars for sorptive extraction using sol-gel technology. *Journal of Chromatography A*, 1045, 15-22.
- López-Feria, S., Cárdenas, S., & Valcárcel, M. (2009). One step carbon nanotubes-based solid-phase extraction for the gas chromatographic-mass spectrometric multiclass pesticide control in virgin olive oils. *Journal of Chromatography A*, 1216, 7346-7350.
- Lourencetti, C., Rodrigues de Marchi, M. R., & Ribeiro, M. L. (2008). Determination of sugar cane herbicides in soil and soil treated with sugar cane vinasse by solid-phase extraction and HPLC-UV. *Talanta*, 77, 701-709.
- MacLachlan, D. J., & Hamilton, D. (2010). Estimation methods for Maximum Residue Limits for pesticides. *Regulatory Toxicology and Pharmacology*, 58, 208-218.
- Malaysian Palm Oil Council (MPOC). World's Oils and Fats Production Share; 2007. Available at: <http://www.mpoc.org.my/slides.asp>

- Martinez, D. B., Galera, M. M., Vazquez, P. P., & Gil Garcia, M. D. G. (2007). Simple and rapid determination of benzoylphenylurea pesticides in river water and vegetables by LC/ESI/MS. *Chromatographia*, 66, 533-538.
- Matthew, H. C., & Clement, Y. R. (2006). Supercritical Fluid Chromatography, Pressurized Liquid Extraction and Supercritical Fluid Extraction. *Trends in Analytical Chemistry*, 78, 3909–3915
- Melo, L. F. C., Collins, C. H., & Jardim, I. C. S. F. (2005). High-performance liquid chromatographic determination of pesticides in tomatoes using laboratory-made NH₂ and C₁₈ solid-phase extraction materials. *Journal of Chromospheraphy A*, 1073, 75–81.
- Mezcua, M., Ferrer, C., García-Reyes, J. F., Martínez-Bueno, M. J., Sigrist, M., & Fernández-Alba, A. R. (2009). Analyses of selected non-authorized insecticides in peppers by gas chromatography/mass spectrometry and gas chromatography/tandem mass spectrometry. *Food Chemistry*, 112, 221–225
- Mezcua, M., Ferrer, C., García-Reyes, J. F., Martínez-Bueno, M. J, Sigrist, M., Min, G., Wang, S., Zhu, H., G. Fang, G. & Zhang, Y. (2008). Multi-walled carbon nanotubes as solid-phase extraction adsorbents for determination of atrazine and its principal metabolites in water and soil samples by gas chromatography-mass spectrometry. *Science of the Total Environment*, 398, 79-85.

Min G, Wang S, Zhu H, Fang G, & Zhang Y. (2008). Multi-walled carbon nanotubes as solid-phase extraction adsorbents for determination of atrazine and its principal metabolites in water and soil samples by gas chromatography-mass spectrometry. *Science of the total Environment*, 396, 79-85.

Mmualefe, C., Torto, L. N., Huntsman-Mapila, P., & Mbongwe, B. (2009). Headspace solid phase microextraction in the determination of pesticides in water samples from the Okavango Delta with gas chromatography-electron capture detection and time-of-flight mass spectrometry. *microchemical Journal*, 91, 239-244.

Molina, C., Honing, M., & Barcelo', D. (1994). Determination of Organophosphorus Pesticides in Water by Solid-Phase Extraction Followed by Liquid Chromatography/High-Flow Pneumatically Assisted Electrospray Mass Spectrometry. *Trends in Analytical Chemistry*, 66, 4444-4449.

Morales-Muñoz, S., Luque-García, J. L., & Luque de Castro, M. D. (2002). Static extraction with modified pressurized liquid and on-line fluorescence monitoring: Independent matrix approach for the removal of polycyclic aromatic hydrocarbons from environmental solid samples. *Journal of Chromatography A*, 978, 49-57.

Morales-Muñoz, S., Luque-García, J. L., & Luque de Castro, M. D. (2006). Pure and modified water assisted by auxiliary energies: An environmental friendly extractant for sample preparation. *Analytica Chimica Acta*, 557, 278–286.

Motohashi, N., Nagashima, H., Párkányi, C., Subrahmanyam, B., & Zhang, G.W. (1996). Official multiresidue methods of pesticide analysis in vegetables, fruits and soil. *Journal of Chromatography A*, 754, 333-346

National Primary Drinking Water Regulations, EPA. (2003). Technical Factsheet on: ATRAZINE

National Primary Drinking Water Regulations, EPA. (2003). Technical Factsheet on: SIMAZINE.

Niu, H., Shi, Y., Cai, Y., Wei, F., & Jiang, G. (2009). Solid-phase extraction of sulfonylurea herbicides from water samples with single-walled carbon nanotubes disk. *Microchimica Acta*, 164, 431–438.

Nozal, M. J., Bernal, J. L., Jiménez, J. J., Martín, M. T., & Bernal, J. (2005). Determination of azolic fungicides in wine by solid-phase extraction and high-performance liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry. *Journal of Chromatography A*, 1076, 90-96.

Ong, A. S. H., S. H. Goh, A healthful and cost-effective dietary component. *Food and Nutrition Bulletin*, 23 (2002) 11-22.

Otero, R. R., Grande, B. C., & Gándara, J. S. (2003). Multiresidue method for fourteen fungicides in white grapes by liquid–liquid and solid-phase extraction followed by liquid chromatography–diode array detection. *Journal of Chromatography A*, 992, 121-131

Papadakis, E. N., Vryzas, Z., & Papadopoulou-Mourkidou E. (2006). Rapid method for the determination of 16 organochlorine pesticides in sesame seeds by microwave-assisted extraction and analysis of extracts by gas chromatography–mass spectrometry. *Journal of Chromatography A*, 1127, 6-11.

Pateiro-Moure, M., Martínez-Carballo, E., Arias-Estévez, M., & Simal-Gándara, J. (2008). Determination of quaternary ammonium herbicides in soils: Comparison of digestion, shaking and microwave-assisted extraction. *Journal of Chromatography A*, 1196-1197, 110-116.

- PaYa, P., Anastassiades, M., Mack, D., Sigalova, I., Tasdelen, B., Oliva, J., & Barba, A. (2007). Analysis of pesticide residues using the quick easy cheap effective ruddeness and safe (QUECHERS) pesticide multiresidue method in combination gas and liquid cheomatpgraphy and tandem mass spectrometric detection. *Analytical and Bioanalytical Chemistry*, 389, 1697–1714.
- Peña, A., Ruano, F., & Mingorance, M. D. (2006). Ultrasound-assisted extraction of pesticides from olive branches: a multifactorial approach to method development. *Analytical and Bioanalytical Chemistry*, 385, 918–925.
- Perreau, F., Bados, P., Kerhoas, L., Nelieu, S., & Einhorn, J. (2007). Trace analysis of sulfonylurea herbicides and their metabolites in water using a combination of off-line or on-line solid-phase extraction and liquid chromatography-tandem mass spectrometry. *Analytical and Bioanalytical Chemistry*, 388, 1265-1273.
- Pesticide Management information programme, (1993). “*Dimethoate*” EXTTOXNET Pesticide Information Notebook, Cornell University, New York.
- Pico, Y., Blasco, C., & Font, G. (2004). Environmental and food applications of LC-tandem mass spectrometry in pesticide-residue analysis: an overview. *Mass Spectrometry Reviews*, 23, 45-85.
- Pico, y., Font, G., Molto, J. C., & Manes, J. (2000). Pesticide residue determination in fruit and vegetables by liquid chromatography-mass spectrometry. *Journal of Chromatography A*, 882, 153-173.
- Picó Y, Font G, Ruiz MJ, & Fernández M. (2006). Control of pesticide residues by liquid chromatography-mass spectrometry to ensure food safety. *Mass Spectroetry Reviews*, 25, 917.

Pirard, C., Widart, J., Nguyen, B. K., Deleuze, C., Heudt, L., Haubruge, E., De Pauw, E., & Focant, J. F. (2007). Development and validation of a multi-residue method for pesticide determination in honey using on-column liquid–liquid extraction and liquid chromatography–tandem mass spectrometry. *Journal of Chromatography A*, 1152, 116–123.

Prevention, Pesticides and Toxic Substances, EPA. (1995). United States Environmental Protection Agency: TERBUTHYLAZINE.

Radišić, M., Grujić, S., Vasiljević, T., & Laušević, M. (2009). Determination of selected pesticides in fruit juices by matrix solid-phase dispersion and liquid chromatography–tandem mass spectrometry. *Food Chemistry*, 113, 712–719.

Raposo J´unior, J. L., & R´e-Poppi, N. (2007). Determination of organochlorine pesticides in ground water samples using solid-phase microextraction by gas chromatography-electron capture detection. *Talanta*, 72, 1833–1841.

Rasmussen, K. E., & Pedersen-Bjergaard, S. (2004). Developments in hollow fiber based, liquid phase microextraction. *Trends in Analytical Chemistry*, 23, 1–10.

Ravelo-Pérez, L. M., Hernández-Borges, J., Borges-Miquel, T. M., & Rodríguez-Delgado, M. A. (2008_b). Solid-phase microextraction and sample stacking micellar electrokinetic chromatography for the analysis of pesticide residues in red wines. *Food Chemistry*, 111, 764–770.

Ravelo-Perez, L. M., Hernandez-Borges, J., & Rodriguez-Delgado, M. A. (2008_a). Multi-walled carbon nanotubes as efficient solid-phase extraction materials of organophosphorus pesticides from apple, grape, orange and pineapple fruit juices. *Journal of Chromatography A*, 1211, 33–42.

- Reemtsma, T. (2003). Liquid chromatography–mass spectrometry and strategies for trace-level analysis of polar organic pollutants. *Journal of Chromatography A*, 1000, 477–501
- Rezaee, M., Assadi, Y., M. R., Milani Hosseini, Aghaee, E., Ahmadi, F., & Berijani, S. (2006). Determination of organic compounds in water using dispersive liquid–liquid microextraction. *Journal of Chromatography A*, 1116, 1-9.
- Richter, B. E., Jones, A. B., Ezzell, J. L., Porter, N. L., Avdalovic, N., & Pohl, C. (1996). Accelerated Solvent Extraction: A Technique for Sample Preparation. *Trends in Analytical Chemistry*, 68, 1033–1039.
- Rissato, S. R., Galhiane, M. S., Knoll, F. R. N., & Apon, B. M. (2004). Supercritical fluid extraction for pesticide multiresidue analysis in honey: determination by gas chromatography with electron-capture and mass spectrometry detection. *Journal of Chromatography A*, 1048, 153-159.
- Rodil, R., Carro, A. M., Lorenzo, R. A., & Cela, R. (2007). Multicriteria optimisation of a simultaneous supercritical fluid extraction and clean-up procedure for the determination of persistent organohalogenated pollutants in aquaculture samples. *Chemosphere*, 67, 1453–1462.
- Rodrigues, S. A., Caldas, S. S., & Primel, E. G. (2010). A simple; efficient and environmentally friendly method for the extraction of pesticides from onion by matrix solid-phase dispersion with liquid chromatography–tandem mass spectrometric detection. *Analytica Chimica Acta*, 678, 82–89
- Roos, A. H, Van Munsteren, A. J., Nab, F. M., & Tuinstra, L. G. M. Th. (1987). Universal extraction/clean-up procedure for screening of pesticides by extraction with ethyl acetate and size exclusion chromatography. *Analytica Chimica Acta*, 196, 95-102.

Sagratini, G., Mañnes, J., Giardin'a, D., Damiani, P., & Pic'ó, Y. (2007). Analysis of carbamate and phenylurea pesticide residues in fruit juices by solid-phase microextraction and liquid chromatography–mass spectrometry. *Journal of Chromatography A*, 1147, 135–143.

Sanchez, C., Ericsson, M., Carlsson, H., Colmsjo, A., & Dyremark, E. (2002). Dynamic sonication-assisted solvent extraction of organophosphate esters in air samples. *Journal of Chromatography A*, 957, 227-234.

S'anchez-Brunete, C., Miguel, E., & Tadeo, J. L. (2008). Determination of organochlorine pesticides in sewage sludge by matrix solid-phase dispersion and gas chromatography–mass spectrometry. *Talanta*, 74, 1211–1217.

Sa'nchez-Rojas, F., Bosch-Ojeda, C., & Cano-Pavo'n, J. M. (2009). A Review of Stir Bar Sorptive Extraction. *Chromatographia*, 69, 79-94

Sandra, M. G., Robert, C. M., & Garth, S. O. (2004). Practical approaches to the analyses for pesticide residues in essential oils. A report for the Rural Industries Research and Development Corporation (RIRDC), Australian Government.

Santana dos Santos, T. F., Aquino, A., Silveira Dórea, H., & Navickiene, S. (2008). MSPD procedure for determining buprofezin, tetradifon, vinclozolin, and bifenthrin residues in propolis by gas chromatography-mass spectrometry. *Analytical and Bioanalytical Chemistry*, 390, 1425–1430.

Sanusi, A., Guillet, V., & Montury, M. J. (2004). Advanced method using microwaves and solid-phase microextraction coupled with gas chromatography–mass spectrometry

for the determination of pyrethroid residues in strawberries. *Journal of Chromatography A*, 1046, 35-40.

Seccia, S., Fidente, P., Barbini, D. A., & Morrica, P. (2005). Multiresidue determination of nicotinoid insecticide residues in drinking water by liquid chromatography with electrospray ionization mass spectrometry. *Analytica Chimica Acta*, 553, 21–26.

Seccia, S., Fidente, P., Montesano, D., & Morrica, P. (2008). Determination of neonicotinoid insecticides residues in bovine milk samples by solid-phase extraction clean-up and liquid chromatography with diode-array detection. *Journal of Chromatography A*, 1214, 115-120.

Sergi, M., Gentili, A., Perret, D., Marchese, S., Materazzi, S., & Curini, R. (2007). MSPD Extraction of Sulphonamides from Meat followed by LC Tandem MS Determination. *Chromatographia*, 65, 757–761.

Serôdio, P., & Nogueira, J. M. F. (2005). Development of a Stir Bar Sorptive Extraction-Liquid Desorption-Large Volume Injection-Capillary Gas Chromatography-Mass Spectrometric Method for Pyrethroid Pesticides in Water Samples. *Analytical and Bioanalytical Chemistry*, 382, 1141–1151.

Shen, G., H. K. & Lee, H. K. (2002). Hollow Fiber-Protected Liquid-phase Microextraction of Triazine Herbicides. *Trends in Analytical Chemistry*, 74, 648-654.

Shim, J. H. , Lee, M. H., Kim, M. R., Lee, C. J., & Kim, I. S. (2003). Simultaneous measurement of fluoroquinolones in eggs by a combination of supercritical fluid extraction and high pressure liquid chromatography. *Bioscience, Biotechnology, and Biochemistry*, 67, 1342-1348.

Shuling, S., Xiaodong, M., & Chongjiu, Li. (2007). Multi-residue determination method of pesticides in leek by gel permeation chromatography and solid phase extraction followed by gas chromatography with mass spectrometric detector. *Food Control*, 18, 448-453.

Slobodnik, J., van Baar, B. L. M., & Brinkman, U. A. Th. (1995). Column liquid chromatography-mass spectrometry: Selected techniques in environmental applications for polar pesticides and related compounds. *Journal of Chromatography A*, 703, 81-121.

Smalling K. L., & Kuivila K. M. (2008). Multi-residue method for the analysis of 85 current-use and legacy pesticides in bed and suspended sediments. *Journal of Chromatography A*, 1210, 8-18.

Smith, G. J. (1993). Toxicology and pesticide use in Relation to *Wildlife: Organophosphorus and Carbamate Compounds*, Smoley C.K., Boca Raton, FL.

Smith R. M. (2002). Extractions with superheated water. *Journal of Chromatography A*, 975, 31–46.

Sobhanzadeh, E., Abu Bakar, N. K., Bin Abas, M. R., & Nemat, K. (2011). Low temperature followed by matrix solid-phase dispersion-sonication procedure for the determination of multiclass pesticides in palm oil using LC-TOF-MS. *Journal of Hazardous Materials*, 186, 1308-1313.

Soler, C, Hamilton, B., Furey, A., James, K. J., Mañes, J., & Picó, Y. (2006). Optimization of LC-MS/MS using triple quadrupole mass analyzer for the simultaneous analysis of carbosulfan and its main metabolites in oranges. *Analytica Chimica Acta*, 571, 1–11.

Soler, C., Manes, J., & Pico, Y. (2006). Determination of carbosulfan and its metabolites in oranges by liquid chromatography ion-trap triple-stage mass spectrometry. *Journal of Chromatography A*, 1109, 228-241.

Submission and evaluation of pesticide residues data for the estimation of maximum residue levels in food and feed, Food and Agriculture Organization of the United Nations, Rome, (2002). First ed. FAO Plant Production and Protection Paper, 170.

Tadeo, J. L., Sánchez-Brunete, C., Pérez, R. A., & Fernández, M. D. (2000). Analysis of herbicide residues in cereals, fruits and vegetables. *Journal of Chromatography A*, 882, 175-191.

Tanaka, T., Hori T., Asada, T., Oikawa, K., & Kawata, K. (2007). Simple one-step extraction and cleanup by pressurized liquid extraction for gas chromatographic–mass spectrometric determination of pesticides in green leafy vegetables. *Journal of Chromatography A*, 1175, 181–186.

Thai Agricultural Standard (TAS 9002-2008), Published in *the Royal Gazette* Vol. 125 Special Section 139D, dated 18 August B.E. 2551 (2008).

Thurman, E. M., Ferrer, I., Bennotti, M., & Heine, C. E. (2004). Intramolecular isobaric fragmentation: A curiosity of accurate mass analysis of sulfadimethoxine in pond water. *Trends in Analytical Chemistry*, 76, 1228-1235.

Torres, C. M., Picó, Y., & Mañes, J. (1996). Determination of pesticide residues in fruit and vegetables. *Journal of Chromatography A*, 754, 301-331.

Tsoukali, H., Theodoridis, G., Raikos, N., & Grigoratou, I. (2005). Solid phase microextraction gas chromatographic analysis of organophosphorus pesticides in biological samples. *Journal of Chromatography B*, 822, 194–200.

Tsoutsis, C., Konstantinou, I., Hela, D., & Albanis, T. (2006). Screening method for organophosphorus insecticides and their metabolites in olive oil samples based on headspace solid-phase microextraction coupled with gas chromatography. *Analytica Chimica Acta*, 573–574, 216–222.

USDA Natural Resources Conservation Service, Prepared by the National Soil Survey Center in cooperation with the Soil Quality Institute, NRCS, USDA, and the National Soil Tilth Laboratory. (1998). *Agricultural Research Service*, USDA.

United Nations Environmental Programme. (1992). Chemical Pollution: A Global Overview Geneva 1992, Sadag Bellegrade, France.

U.S. EPA. (2004_a). Environmental Risk Assessment for the Reregistration of Diuron. [Online] Available: www.epa.gov/oppfead1/endanger/effects/#diuron

U.S. EPA. (2004_b). Ecotoxicology Database. [Online] Available: <http://www.usepa.gov/ecotox>.

Vega, A. B., Frenich, A. G., & Vidal, J. L. M. (2005). Monitoring of pesticides in agricultural water and soil samples from Andalusia by liquid chromatography coupled to mass spectrometry. *Analytica Chimica Acta*, 538, 117-127.

Volmer, D. A. (1998). Investigation of photochemical behavior of pesticides in a photolysis reactor coupled on-line with a liquid chromatography–electrospray ionization tandem mass spectrometry system: Application to trace and confirmatory analyses in food samples. *Journal of Chromatography A*, 794, 129-146

Von Holst, C., Muller, A., Serano, F., Sparring, S., & Bjorklund, E. (2005). Optimisation of pressurized liquid extraction for the determination of seven selected polychlorinated biphenyls in feed samples. *Chromatographia*, 61, 391-396.

- Wang, J., Cheung, W., & Grant, D. (2005). Determination of Pesticides in Apple-Based Infant Foods Using Liquid Chromatography Electrospray Ionization Tandem Mass Spectrometry. *Journal of Agricultural and Food Chemistry*, 53, 528–537.
- Wang, J., Tuduri, L., Mercury, M., Millet, M., Briand, O., & Montury, M. (2009). Sampling atmospheric pesticides with SPME: Laboratory developments and field study. *Environmental Pollution*, 157, 365–370.
- Wang, S., Xu, Y., Pan, C., Jiang, S., & Liu, F. (2007_b). Application of matrix solid-phase dispersion and liquid chromatography-mass spectrometry to fungicide residue analysis in fruits and vegetables. *Analytical and Bioanalytical Chemistry*, 387, 673–685.
- Wang, S., Zhao, P., Min, G., & Fang, G. (2007_a). Multi-residue determination of pesticides in water using multi-walled carbon nanotubes solid-phase extraction and gas chromatography-mass spectrometry. *Journal of Chromatography A*, 1165, 166–171.
- Xiangyang Q. (2010). Development of a matrix solid-phase dispersion-sonication extraction method for the determination of fungicides residues in ginseng extract. *Food Chemistry*, 121, 758-762.
- Xiao, Q., Hu, B., Yu, C., Xia, L., & Jiang, Z. (2006). Optimization of a single-drop microextraction procedure for the determination of organophosphorus pesticides in water and fruit juice with gas chromatography-flame photometric detection. *Talanta*, 69, 848-855.
- Xiong, J., Hu, B. (2008). Comparison of hollow fiber liquid phase microextraction and dispersive liquid–liquid microextraction for the determination of organosulfur pesticides in environmental and beverage samples by gas chromatography with flame photometric detection. *Journal of Chromatography A*, 1193, 7-18.

- Xu, X., Yang, H., Wang, L., Han, B., Wang, X., & Sen-Chun Lee, F. (2007). Analysis of chloroacetanilide herbicides in water samples by solid-phase microextraction coupled with gas chromatography–mass spectrometry. *Analytica Chimica Acta*, 591, 87–96.
- Yang, Y., Shao, B., Zhang, J., Wub, Y., & Ying, J. (2008). Analysis of eight free progestogens in eggs by matrix solid-phase dispersion extraction and very high pressure liquid chromatography with tandem mass spectrometry. *Journal of chromatography. B, Analytical technologies in the biomedical and life sciences*. 870, 241–246.
- Yoshioka, N., Akiyama, Y., & Teranishi, K. (2004). Rapid simultaneous determination of *o*-phenylphenol, diphenyl, thiabendazole, imazalil and its major metabolite in citrus fruits by liquid chromatography-mass spectrometry using atmospheric pressure photoionization. *Journal of Chromospheraphy A*, 1022, 145–150.
- You, J., Zhang, H., Zhang, H., Yu, A., Xiao, T., Wang, Y., & Song, D. (2007). Determination of triazines in infant nutrient cereal-based foods by pressurized microwave-assisted extraction coupled with high-performance liquid chromatography–mass spectrometry. *Journal of Chromatography B*, 856, 278-284.
- Zang, X., Fukuda, E. K., & Rosen, J. D. (1998) Multiresidue analytical procedure for insecticides used by organic farmers. *Journal of Agricultural and Food Chemistry*, 46, 2206-2210.
- Zeng, J., Chen, J., Lin, Z., Chen, W., Chen, X., & Wang, X. (2008). Development of polymethylphenylsiloxane-coated fiber for solid-phase microextraction and its analytical application of qualitative and semi-quantitative of organochlorine and pyrethroid pesticides in vegetables. *Analytica Chimica Acta*, 619, 59-66.

- Zeng, J., Chen, J., Wang, Y., Chen, W., Chen, X., & Wang, X. (2008). Development of relatively selective, chemically and mechanically robust solid-phase microextraction fibers based on methacrylic acid–trimethylolpropanetrimethacrylate co-polymers. *Journal of Chromatography A*, 1208, 34–41.
- Zhang, J., H. K. & Lee, H. (2006). Application of liquid-phase microextraction and on-column derivatization combined with gas chromatography–mass spectrometry to the determination of carbamate pesticides. *Journal of Chromatography A*, 1117, 31-37.
- Zhao, R. S., Yuan, J. P., Jiang, T., Shi, J. B., & Cheng, C. G. (2008). Application of bamboo charcoal as solid-phase extraction adsorbent for the determination of atrazine and simazine in environmental water samples by high-performance liquid chromatography-ultraviolet detector. *Talanta*, 76, 956-959.
- Zhou, Q., Xiao, J., Wang, W., Liu Qizeng Shi, G., & Wang, J. (2006_a). Determination of atrazine and simazine in environmental water samples using multiwalled carbon nanotubes as the adsorbents for preconcentration prior to high performance liquid chromatography with diode array detector. *Talanta*, 68, 1309–1315.
- Zhou, Q., Xiao, J., Wang, W., Liu, G., Shi, Q., & Wang, J. (2006_b). Determination of atrazine and simazine in environmental water samples using multiwalled carbon nanotubes as the adsorbents for preconcentration prior to high performance liquid chromatography with diode array detector. *Talanta*, 68, 1309–1315.
- Zhu, X.L., Qi, X.Y., Wang, J., Yue, J.N., Sun, Z., & Lei, W. J. (2007). Determination of procymidone, pentachloroaniline and methyl-pentachloro-phenylsulfide residues in wine by MSPD-GC-ECD. *Chromatographia*, 65, 625–628.

Zrostlíková, J., Hajšlová, J., & Čajka, T. (2003). Evaluation of two-dimensional gas chromatography–time-of-flight mass spectrometry for the determination of multiple pesticide residues in fruit. *Journal of Chromatography A*, 1019, 173–186

LIST OF PUBLICATIONS:

A) JOURNALS:

- “Sample preparation methods for pesticides analysis in food matrices and environmental samples by chromatographic-based techniques: a review, *World Applied Sciences Journal*, Vol. 7, No. 8 (2009), 923-950.
- “Validation of matrix solid-phase dispersion method for the determination of simazine and terbuthylazine in olive oil by high performance liquid chromatography with ultraviolet detector” *Asian Journal of Chemistry*, Vol. 22, No. 6 (2010) 4831-4839.
- “Low temperature followed by matrix solid-phase dispersion-sonication procedure for the determination of multiclass pesticides in palm oil using LC-TOF-MS”, *Journal of Hazardous Materials*, Vol. 186, (2011) 1308-1313.
- “An efficient extraction and clean-up procedure for pesticide determination in olive oil”, *European Journal of Lipid Science and Technology*, Vol. 113, (2011) 862-869.
- “A simple and efficient multi-residue method based on QuEChERS for pesticides determination in palm oil by liquid chromatography time-of-flight mass spectrometry”, *Environmental Monitoring and Assessment*, DOI: 10.1007/s10661-010-1584-3.

B) INTERNATIONAL CONFERENCES ATTENDED:

1. **E. Sobhanzadeh**, N. K. Abu Bakar, M. R. Abas, International Applied Science Conference, 3-4 June 2009, Johor Bahru, Malaysia.
2. **E. Sobhanzadeh**, N. K. Abu Bakar, M. R. Abas, 10th Asian Conference on Analytical science 2009 (ASIANLYSIS), 11-13 August 2009 Kuala Lumpur, Malaysia.
3. **E. Sobhanzadeh**, N. K. Abu Bakar, M. R. Abas, 6th Singapore International Chemical Conference (SICC -6) 15-18 December 2009, Singapore